

## Test Report

No. TSNHG1900241301

Date: 27 Feb 2019

Page 1 of 5

PHOTO USA ELECTRONIC GRAPHIC INC.

8 DONGDAQIAO ROAD, STE.2716, THE SPACES INT'L CENTER

The following sample(s) was/were submitted and identified on behalf of the clients as : 11 oz. TWO TONE MUG-INNER&HANDLE COLOR BLUE

SGS Job No. : TJHL1902000652CW - TJ  
 Item No. : 15oz. TWO TONE MUG-INNER&HANDLE COLOR BLUE  
 Supplier : PHOTO USA  
 Manufacturer : PHOTO USA  
 Country of Origin : CHINA  
 Date of Sample Received : 21 Feb 2019  
 Testing Period : 21 Feb 2019 - 27 Feb 2019  
 Test Requested : Selected test(s) as requested by client.  
 Test Method : Please refer to next page(s).  
 Test Results : Please refer to next page(s).

### Result Summary :

Test Requested	Conclusion
US California Proposition 65(Superior Court of the State of California – County of San Francisco Case No. 938430) - Leachable Lead and Cadmium	PASS
US California Proposition 65(Superior Court of the State of California – County of San Francisco Case No. CGC-05-440811 and CGC-04-436729) - Leachable Lead and Cadmium	PASS

Signed for and on behalf of  
 SGS-CSTC Standards Technical Services (Tianjin) Co., Ltd.



Reabeca Zhou  
 Approved Signatory



TSNHG1900241301

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This document cannot be used for publicity, without prior written approval of the SGS.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 t (86-22) 65288000 f (86-22) 25295252 www.sgsgroup.com.cn  
 中国·天津市经济技术开发区第五大街41号SGS大厦 邮编: 300457 t (86-22) 65288000 f (86-22) 25295252 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

# Test Report

No. TSNHG1900241301

Date: 27 Feb 2019

Page 2 of 5

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	TSN19-002413.001	dark blue/white ceramic mug	CERAMIC

Remarks :

- (1) mg/dm<sup>2</sup> = milligram per square decimeter
- (2) mg/kg = milligram per kilogram
- (3) °C= degree Celsius
- (4) < = less than
- (5) MDL = Method Detection Limit
- (6) ND = Not Detected ( < MDL)

## US California Proposition 65(Superior Court of the State of California – County of San Francisco Case No. 938430) - Leachable Lead and Cadmium

Test Requested : To determine the leachable Lead and Cadmium contents from internal surface according to Superior Court of the State of California – County of San Francisco Case No. 938430.

Test Method : With reference to AOAC 18th Ed. (2005) Section 973.32, analysis was performed by AAS.

**Sample 001** Internal Surface (Small Hollowware)  
**PASS**

	Extract Volume (mL)	Depth (mm)
1	86	86
2	350	86
3	350	86
4	350	86
5	350	86
6	350	86
7	350	86
8	350	86
9	350	86
10	350	86
11	350	86
12	350	86



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 t (86-22) 65288000 f (86-22) 25295252 www.sgsgroup.com.cn  
中国·天津市经济技术开发区第五大街41号SGS大厦 邮编: 300457 t (86-22) 65288000 f (86-22) 25295252 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## Test Report

No. TSNHG1900241301

Date: 27 Feb 2019

Page 3 of 5

	<u>Leachable Lead</u> ( $\mu\text{g/mL}$ )	<u>Leachable Cad-</u> <u>mium (<math>\mu\text{g/mL}</math>)</u>
1	<0.05	<0.01
2	<0.05	<0.01
3	<0.05	<0.01
4	<0.05	<0.01
5	<0.05	<0.01
6	<0.05	<0.01
7	<0.05	<0.01
8	<0.05	<0.01
9	<0.05	<0.01
10	<0.05	<0.01
11	<0.05	<0.01
12	<0.05	<0.01
Average	<0.05	<0.01
Limit	0.1	0.189

### Notes :

(1) < = less than

(2)  $\mu\text{g/mL}$  = microgram per millilitre

(3) The reference limit applied in testing is based on particular California Proposition 65 settlements that are most similar to the tested product in the opinion of the lab. The testing in this report does not reflect a user's actual exposure to the tested chemical.

A manufacturer or retailer that is not named in the referenced settlement is not bound by that settlement, and may choose to comply with California Proposition 65 by clearly informing the consumer of potential exposure.

### US California Proposition 65(Superior Court of the State of California – County of San Francisco Case No. CGC-05-440811 and CGC-04-436729) - Leachable Lead and Cadmium

**Test Requested :** To determine leachable lead and cadmium contents of lip and rim of the submitted sample according to Superior Court of the State of California – County of San Francisco Case No. CGC-05-440811 and CGC-04-436729.

**Test Method :** With reference to ASTM C927-80 (2014), Analysis was performed By AAS.

**Sample 001** lip and rim  
**PASS**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 t (86-22) 65288000 f (86-22) 25295252 www.sgsgroup.com.cn  
中国·天津市经济技术开发区第五大街41号SGS大厦 邮编: 300457 t (86-22) 65288000 f (86-22) 25295252 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## Test Report

No. TSNHG1900241301

Date: 27 Feb 2019

Page 4 of 5

	<u>Internal Volume</u>	<u>Extract Volume</u>	<u>Depth</u>
	(mL)	(mL)	(mm)
1	350	200	86
2	350	200	86
3	350	200	86
4	350	200	86
5	350	200	86
6	350	200	86

	<u>Leachable Lead</u>	<u>Leachable Cad-</u>
	(µg/mL)	<u>mium (µg/mL)</u>
1	<0.05	<0.01
2	<0.05	<0.01
3	<0.05	<0.01
4	<0.05	<0.01
5	<0.05	<0.01
6	<0.05	<0.01
Average	<0.05	<0.01
Limit	0.5	2

### Notes :

(1) < = less than

(2) ug/mL = microgram per millilitre

(3) The reference limit applied in testing is based on particular California Proposition 65 settlements that are most similar to the tested product in the opinion of the lab. The testing in this report does not reflect a user's actual exposure to the tested chemical.

A manufacturer or retailer that is not named in the referenced settlement is not bound by that settlement, and may choose to comply with California Proposition 65 by clearly informing the consumer of potential exposure.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)



## Test Report

No. TSNHG1900241301

Date: 27 Feb 2019

Page 5 of 5

Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 t (86-22) 65288000 f (86-22) 25295252 www.sgsgroup.com.cn  
中国·天津市经济技术开发区第五大街41号SGS大厦 邮编: 300457 t (86-22) 65288000 f (86-22) 25295252 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)